

# Color LaserJet Enterprise M750 Printer series M750n • M750dn • M750xh

Print large-volumes of professional-quality color documents on a wide range of paper sizes. Maintain productivity with intuitive, easy-to-use management tools. Conveniently print directly from laptop PCs, smartphones or tablets.<sup>1</sup>

Print speed (letter):8 Up to 30 ppm (black); Up to 30 ppm (color)

**Print resolution:** Black (best): Up to  $600 \times 600$  dpi; Color (best): Up to  $600 \times 600$  dpi

Standard connectivity: 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit

Ethernet 10/100/1000T network; 2 Internal USB Host

Duty cycle:9 Up to 120,000 pages

**Duplex print options:** Automatic, standard (Only on M750dn/xh)

Mobile printing capability:10 HP ePrint, Apple AirPrint™



HP Color LaserJet Enterprise M750n



HP Color LaserJet Enterprise M750dn

## Enable color printing from postcards to posters

- Print on a wide variety of paper sizes—from 3 x 5-inch postcards to 12.6 x 17.72-inch SRA3 media.
- Produce high-volume print jobs without frequent paper changes, with a paper capacity up to 2,350 sheets.<sup>6</sup>
- Improve efficiency with a printer that automatically recognizes paper size and type for best printing results.
- Increase efficiency and versatility with automatic two-sided printing.<sup>3</sup>

## Get great color prints plus uncompromised speed

- Print documents rapidly—up to 30 ppm letter/A4.7
- Get a first page out in as fast as 10 seconds with Instant-on Technology.
- Get consistent print quality automatically on text, images and graphics with HP EasyColor and HP ImageREt.
- Achieve sharp contrast and vivid color with the high-gloss toner in Original HP LaserJet print cartridges.

## Count on a printer that is easy to use and manage

- Enable easy printing from smartphones, tablets and laptops at work, home, or on-the-go.<sup>1</sup>
- Easily integrate enterprise-ready gigabit networking and robust security options into your printing fleet.
- Supervise printing fleets remotely using intuitive management tools. Control color printing usage and costs.
- Quickly print using the easy access USB port. Safeguard data with the High-Performance Secure Hard Disk.<sup>5</sup>

## Minimize your environmental impact

- Reduce packaging waste with pre-installed toner cartridges—no boxes, wrappers or manuals.
- Reduce environmental impact and use up to 50 percent less paper with two-sided printing.<sup>3</sup>
- Get free and easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.<sup>2</sup>
- Reduce the environmental impact of excess shipping materials with HP ClearView packaging.<sup>4</sup>



- Reduce energy use with Instant-on Technology.<sup>1</sup>
- Avoid reprints with the consistency of Original HP toners plus HP Professional Color Technologies.
- Reduce paper use by up to 50% using automatic two-sided printing.<sup>2</sup>
- Convenient cartridge recycling in 53 countries.

Join HP in more sustainable printing hp.com/ecosolutions



- Compared with traditional fusing.
- <sup>2</sup> Automatic two-sided printing is available on the dn and xh models only.


HP Color LaserJet Enterprise M750xh

¹Local printing requires mobile device and printer to be on the same network. Remote printing requires an Internet connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. ² Program availability varies. HP print cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and blk collection boxes, visit hp.com/recycle. ² Nature recycle. ² Nature visit hp.com/recycle. ² Nature visit h

## **HP Color LaserJet Enterprise M750 Printer series**

- 1 300-sheet top output bin
- 2 Intuitive control panel with 4-line color display
- 3 Easy-access USB port for walk-up printing
- 4 100-sheet multipurpose tray supports paper sizes up to 12 x 18 (SRA3)
- 5 One-door access to the easy-to-install print cartridges
- 6 Built-in automatic two-sided printing
- 7 250-sheet tray 2
- 8 500-sheet tray 3
- 9 Three 500-sheet input trays with print stand for 2,350-sheet total input capacity
- 10 HP High-Performance Secure Hard Disk
- 11 1 GB RAM and an 800 MHz processor
- 12 Two internal host USB 2.0 type ports for third-party solutions
- 13 Hi-Speed USB 2.0 port for third-party solutions
- 14 Hi-Speed USB 2.0 printing port
- 15 Access port for optional Kensington-style lock
- 16 HP Jetdirect Gigabit Ethernet embedded print server

### **HP Color LaserJet Enterprise M750xh shown**



## Series at a glance







	M750n	M750dn	M750xh
Part number	D3L08A	D3L09A	D3L10A
100-sheet multipurpose tray 1	✓	✓	✓
250-sheet input tray 2	✓	✓	✓
500-sheet input tray 3	✓	✓	✓
500-sheet input tray 4	Optional	Optional	Not available
3 x 500-sheet feeder with rolling stand	Optional	Optional	✓
Automatic two-sided printing	Not available	✓	✓
HP High-Performance Secure Hard Disk	Not available	Not available	✓

## **Top features**

Print color documents up to SRA3 (12.6 x 17.72-inch) with paper capacity for high-volume jobs.

Capitalize on the printing potential of a high-capacity, compact workgroup workhorse. Produce large amounts of color documents on a wide variety of paper sizes—from postcards to SRA3.

Use a powerful color printer that compliments your professional image. Achieve outstanding quality printing without sacrificing speed. Advanced color features and Original HP LaserJet print cartridges help ensure consistent color.

Seamlessly integrate this versatile printer into a fleet. Robust management and security tools help ensure productivity and smooth, reliable performance. Mobile printing options enable convenient printing from smartphones, tablets and PCs.<sup>1</sup>

Meet your environmental goals, while boosting your bottom line. HP technology helps you reduce your office's energy and paper usage. Plus, this printer is designed to use less space and create less packaging waste.

## Get the most out of your printer with HP accessories, supplies, and services.

### **HP** services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

**Optimized Care** (optimum performance and stability): 4 hr Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Basic Care** (minimum recommended support):

**Next Business Day Onsite Support** 

**4 hr Onsite Support:** Onsite support within four hours after a service call received within the coverage window

**Next Business Day Onsite Support:** Onsite service the next business day after the service call is received

**Maintenance Kit Replacement Service:** Onsite replacement of your printer's maintenance kit including parts, materials, and labor

**Installation with Network Configuration Service:** Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices

#### **Printers**

HP Color LaserJet Enterprise M750n	D3L08A
HP Color LaserJet Enterprise M750dn	D3L09A
HP Color LaserJet Enterprise M750xh	D3L10A

### HP LaserJet Print Cartridges<sup>2</sup>

HP 650A Black LaserJet Toner Cartridge (~13,500 pages)	CE270A
HP 650A Cyan LaserJet Toner Cartridge (~15,000 pages)	CE271A
HP 650A Yellow LaserJet Toner Cartridge (~15,000 pages)	CE272A
HP 650A Magenta LaserJet Toner Cartridge (~15,000 pages)	CE273A

#### Accessories

110003301103	
HP Color LaserJet 500-sheet Paper Tray	CE860A
HP Color LaserJet 3x500-sheet Paper Feeder and Stand	CE725A
HP Jetdirect 2700w USB Wireless Print Server	J8026A
HP Jetdirect ew2500 Wireless Print Server	J8021A

#### HP Service and Support

in service and support	
HP 3-year Next Business Day + DMR Color LaserJet CP5525/M750 Support	UX963E
HP 4-year Next Business Day + DMR Color LaserJet CP5525/M750 Support	UX899E
HP 5-year Next Business Day + DMR Color LaserJet CP5525/M750 Support	UX880E
HP 3-year 4h9x5 Color LaserJet CP5525/M750 Hardware Support	UX965E
HP 4-year 4h9x5 Color LaserJet CP5525/M750 Hardware Support	UV281E
HP 5-year 4h9x5 Color LaserJet CP5525/M750 Hardware Support	UV282E
HP 1-year Post Warranty Next Business Day + DMR Color LaserJet CP5525/	
M750 Support	UV270PE
HP 1-year Post Warranty 4h 9x5 Color LaserJet CP5525/M750 Hardware	UV272PE

To know what HP Care Pack services exist for your product, please visit Care Pack Central at hp.com/qo/cpc

#### Paper

hp.com/go/paper

#### Software

HP Web Jetadmin: hp.com/go/wja
HP Universal Print Driver: hp.com/go/upd

HP Install Network Printer Wizard: hp.com/go/inpw\_sw

## **HP Color LaserJet Enterprise M750 Printer series**

Technical specifications	HP Color LaserJet Enterprise M750n (D3L08A)	HP Color LaserJet Enterprise M750dn (D3L	.09A) HP Color LaserJet Enterprise M750xh (D3L10A)		
Duplex print options	Manual (driver support provided)		Automatic (standard)		
Print speed <sup>1</sup>		(normal, letter): Up to 30 ppm; Color (normal, let			
First page out	Black (F	letter, ready): As fast as 10 sec; Color (letter, read	ly): As fast as 10 sec		
Print technology		Laser			
Print resolution	BI	lack (best): Up to 600 x 600 dpi; Color (best): Up to	o 600 x 600 dpi		
Print resolution technologies	HP ImageREt 3600				
Printer smart software features	HP ePrint, Open Extensibility Platform, FutureSmart Firm		pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs		
HP ePrint capability		Yes			
Mobile printing capability <sup>2</sup>		HP ePrint, Apple AirPrint™			
Control panel		Ready); Enhanced help with animated graphics; Ea	t, Stop, Back/Exit, Help, Up arrow, Down arrow); 3 LED status lights sy-Access USB port with cover		
Processor speed		800 MHz			
Display		2.03-inch (5.2 cm), 4-line Color Graphic Displa	ay (CGD)		
Memory		Standard/Maximum: 1 GB			
Durability ratings	Duty cycle: Up to 1	20,000 pages; <b>Recommended monthly page volu</b>	<b>me:</b> 4 Up to 2,500 to 13,000 pages		
Paper	400 1 1 11 11 11 11 11 11	400 1 11 11 1 10 11			
Input	100-sheet multipurpose tray, 250-sheet input tray 2, 500-sheet input tray 3	100-sheet multipurpose tray, 250-sheet input 500-sheet input tray 3, automatic two-sided p			
Output		300-sheet output bin			
Media types			cycle, tough), envelopes, labels, cardstock, transparencies		
Media sizes	Tray 1: Statement, 3 x 5 index card, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, Letter, Letter-R, Legal, Executive, 11 x 17 in; 8.5 x 13, 12 x 18, Envelopes: #9, #10, Monarch; Tray 2, 3: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in; Optional tray 4, 5, 6: Letter, Letter-R, Legal, Executive, 8.5 x 13, 11 x 17 in				
Media weight	Tray 1: 16 to 58 lb bond; Tray 2, 3: up to 32 lb plain papers	apers, up to 43 lb coated papers; <b>Optional trays 4,</b> up to 43 lb coated papers	5, 6: Tray 1: 16 to 58 lb bond; Trays 2, 3, 4, 5, 6: up to 32 lb plain papers, up to 43 lb coated papers		
Connectivity	up to 32 to plain papers,	up to 43 to coated papers	plain papers, up to 45 to coated papers		
Interfaces	2 Hi-Spood USB 2 O Host: 1	Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/1	00/1000T natwork: 2 Internal LISP Hest		
Languages					
Network capabilities	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP Postscript Level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™  Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-T, 100Base-T, 802.3az (EEE) support on Fast Ethernet and Gig  Links;  IPsec (standard); 802.11b/g/n wireless networking (optional)				
Network ready	Links;	Standard (built-in Gigabit Ethernet)	g (optional)		
Network protocols	2008 (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: AirPrint <sup>TM</sup> (support.apple.com/kb/ht4356); Android (android.com); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Print (hp.com/go/sap/print); UNIX (hp.com/go/inix); UNIX Jetdirect (hp.com/go/jetdirectunix_software)  IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall;				
Security	Management security: SNMPv3, SSL/TLS, WPA2-En		LS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key		
		Kerberos Authentication; Support for WJA-10 IPsec			
Dimensions (w x d x h)		544 x 586 x 465 mm)	30 x 27 x 35 in (745 x 688 x 885 mm)		
		8 in (840 x 975 x 465 mm)	Maximum: 33 x 38.5 x 35 in (840 x 975 x 885 mm)		
Weight		(52.4 kg)	182.6 lb (83 kg)		
Minimum system requirements	PC: Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2012 (64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2008, Windows Server 2003 (SP1 or higher); 200 MB available hard disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection. Operating system compatible HW system requirements see microsoft.com;  Mac: Mac OS X v10.6.8, OS X 10.7.5 Lion, OS X 10.8 Mountain Lion; 1 GB of available hard-disk space; CD-ROM or DVD drive, or Internet connection; Dedicated universal serial bus (USB 1.1 or 2.0), or network connection (Operating system compatible hardware system requirements see apple.com)				
What's in the box	HP Color LaserJet Enterprise M750n printer; Print cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color LaserJet 500-sheet input Tray; CDs containing device software and User's Guide; Documentation (including Getting Started Guides); Power cord	HP Color LaserJet Enterprise M750dn printe cartridges (1 each Black, Cyan, Yellow, Magenta LaserJet 500-sheet input Tray; CDs containin software and User's Guide; Documentation (i Getting Started Guides); Power cord	a); HP Color cartridges (1 each Black, Cyan, Yellow, Magenta); HP Color g device LaserJet 500-sheet input Tray; HP Color LaserJet		
Warranty		One-year, next-business day, onsite warra			
Environmental ranges	D <sub>0</sub>	wer			
Temperature range  Humidity range	Operating: 59 to 81° F (15 to 27° C) Recommended: 63 to 77° F (17 to 25° C) Storage: 32 to 95° F (0 to 35° C) Operating: 10 to 70% RH	Power supply type B Power supply required 1 ir p	uilt-in power supply 10-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, ower supply varies by part number with # Option code identifier)		
	Recommended: 30 to 70% RH Non-operating: 10 to 90% RH	· (F	77.41 watts (Printing B&W), 654.92 watts (Printing Color), 59.46 watts Ready), 9.09 watts (Sleep), 0.35 watts (Off)		
Acoustic <sup>4</sup>		Typical electricity consumption (TEC) 3	.680 kWh/Week, 3.053 kWh/Week (Blue Angel)		
Power emissions: Power emissions (ready): Pressure emissions bystander (activ Pressure emissions bystander (read	5.0 B(A) ve, printing): 50 dB(A)	6 Li IE	EC 60950-1:2005 +A1; EN 60950-1: 2006 +A11:2009 +A1:2010 +A12:2011; IE 0825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/Led Product); EN 60825-1:2007 (Class 1 Laser/ED Product); UL/cUL Listed (USA/Canada); GS Certificate (Germany, Europe); C6 62479:2010; EN 62479:2010; Low Voltage Directive 2006/95/EC with CE larking (Europe); other safety approvals as required by individual countries		
		M	iarking (Europe), other safety approvats as required by individual countries		

<sup>1</sup>Measured using ISO/IEC 24734, excludes first set of test documents. For more information see **kp.com/go/printerclaims**. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>2</sup> Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see **hp.com/go/eprintcenter**. And for additional solutions, see **hp.com/go/mobile-printing-solutions**. Supports the following devices running iOS 4.2 or later: iPad\*, iPad\* 2, iPhone\* (3GS or later), iPod touch\* of 2rd generation or later). Works with IPF'S iIPrint\*\* enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical enument and distance from the access point. Airprint, the Airprint Logo, iPad, iPhone, and iPod touch are trademarks of Apple\* inc., registered in the U.S. and other countries. <sup>3</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser-Jet or HP Color Laser-Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. <sup>4</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>5</sup> Acoustic values are subject to change. For current information see **hp.com/support**. Configuration tested: base model, simplex printing, A4 paper at an average of 30 ppm. <sup>6</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.

Electromagnetic emission standard






















CISPR 22:2008/EN 55022:2010 (Class A), EN 61000-3-2:2006 +A1:2009

+A2:2009; EN 61000-3-3:2008; EN 55024:2010; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries