HP LaserJet Pro MFP M227 series



Stay a step ahead.

Get more pages, performance, and protection¹ from an HP LaserJet Pro MFP powered by JetIntelligence Toner cartridges. Set a faster pace for your business: Print two-sided documents, plus scan, copy, fax¹⁵, and manage to help maximize efficiency.



HP LaserJet Pro MFP M227sdn



HP LaserJet Pro MFP M227fdr



HP LaserJet Pro MFP M227fdw

Fast speeds, low energy use

- Print, scan, copy, and fax¹⁵ with a compact multifunction laser printer that fits into tight workspaces.
- Print at the pace of business with fast two-sided printing—first pages are ready in as fast as 6.4 seconds.⁶
- Help save energy with HP Auto-On/Auto-Off Technology.
- Tackle tasks and scan to email, USB, and network folders from the 2.7-inch (6.9 cm) color touchscreen.^{8,15}

Mobile printing made simple

- Get simple setup, and print and scan from your phone, with the HP Smart app.²
- Print from your mobile device with Wi-Fi Direct® and NFC touch-to-print technology—no network needed.^{3,4,15}
- Print from your mobile device with Wi-Fi Direct® and NFC touch-to-print technology—no network needed.^{3,4}
- Send jobs from your smartphone, tablet, or PC to any company printer, using Google Cloud Print™ 2.0.⁵

Strong HP security

- This printer helps detect, stop, and give notifications of security breaches.
- This printer includes write-protected memory that helps prevent malware intrusion.
- Employ policy-based, fleet-wide protection features, using optional HP JetAdvantage Security Manager. 12

HP quality—print after print

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Don't be fooled by alternatives that mimic Original HP. Innovative anti-fraud technology can help ensure you're getting the quality you paid for.
- Print over 2x more pages than standard cartridges, using optional Original HP high-yield toner cartridges.¹³
- Get more pages than ever before with page maximizer technology, and track remaining pages to help ensure you get what you paid for using print gauge technology. 14

Product walkaround



HP LaserJet Pro MFP M227fdw

- 1.35-sheet ADF
- 2. Flatbed scanner handles up to 216 by 297 mm paper
- 3. 6.9 cm (2.7-inch) color touchscreen³
- 4. Easy-access USB port4
- 5. Automatic two-sided printing
- 6. Fax port,³ Hi-Speed USB 2.0 port, Fast Ethernet network port, access port for optional lock
- 7. 150-sheet output bin
- 8. Wi-Fi Direct printing¹ and NFC touch-to-print⁵
- 9. Top cover access to toner cartridges
- 10. 10-sheet priority input tray
 11. 250-sheet multipurpose tray (shown open)
- 12. Built-in wireless networking (802.11b/g/n)²

Series at a glance







Model	HP LaserJet Pro MFP M227sdn	HP LaserJet Pro MFP M227fdn	HP LaserJet Pro MFP M227fdw	
Product number	G3Q74A	G3Q79A	G3Q75A	
Control panel	2-line LCD	2-line LCD with Alphanumeric keypad	2.7-in touch screen, LCD (color graphics)	
USB port	Not available	Yes	Yes	
Fax capabilities	Not available	Yes	Yes	
Wireless Capabilities	Not available	Not available	Yes	

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

4 hr Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices















Top Features

Help save energy without slowing down. This quiet, efficient HP LaserJet Pro MFP quickly prints, scans, copies, and faxes while helping to keep energy costs low, so you save time and resources.

Mobile printing is easier than ever with HP. Print with minimal steps from a broad range of mobile devices—smartphones, tablets, and notebooks.9

Easily manage devices and settings to help make printing more efficient and secure. Gain visibility into office printing and monitor supplies status and other settings with HP Web Jetadmin.¹¹

Count on consistent results—Original HP Toner cartridges with JetIntelligence are designed to work flawlessly with this HP LaserJet Pro. Anti-fraud authentication helps protect your business from frustrating quality issues and costly reprints.

Product

 G3Q74A
 HP LaserJet Pro MFP M227sdn

 G3Q79A
 HP LaserJet Pro MFP M227fdn

 G3Q75A
 HP LaserJet Pro MFP M227fdw

Replacement cartridges

 CF230A
 HP 30A Black Original LaserJet Toner Cartridge (1,600 pages)

 CF230X
 HP 30X High Yield Black Original LaserJet Toner Cartridge (3,500 pages)

 CF232A
 HP 32A Original LaserJet Imaging Drum (23,000 pages)

HP Care Packs

UH757E HP 3 year Care Pack w/Next Day Exchange for LaserJet Printers
 UH773E HP 3 year Care Pack w/Onsite Exchange for LaserJet Printers
 UH769E HP 3 year Care Pack w/Pickup and Return Support for LaserJet Printers
 UH764E HP 3 year Care Pack w/Return to Depot Support for LaserJet Printers

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Pro MFP M227 series

Madal	LIDI acculat Dia MED M227 - 4-	LID Locardet Dra MED M2275	LID Learning Day MED M22754			
Model Product number	HP LaserJet Pro MFP M227sdn G3Q74A	HP LaserJet Pro MFP M227fdn G3Q79A	HP LaserJet Pro MFP M227fdw G3Q75A			
Functions	Print, copy, scan	Print, copy, scan, fax	ACTUE			
Print	riiii, copy, stali Pfilit, copy, stali, iax					
Duplex print options	Automatic (standard)					
Print speed ¹⁴		30 ppm; Black (A4, duplex): Up to 18 ipm; Black (letter, duplex				
First page out ¹⁶	Black (A4, ready): As fast as 6.4 sec; Black (A4, sleep): As fast as 7.7 sec	Black (A4, ready): As fast as 6.6 sec; Black (A4, sleep): As fast as 6.8 sec	Black (A4, ready): As fast as 6.8 sec; Black (A4, sleep): As fast as 8.1 sec			
Print technology	Laser	d3 0.0 sec	d3 0.1 3ec			
Print resolution		x 600 dpi, HP FastRes 1200 (1200 dpi quality); Black (fine line	s) Up to 1200 x 1200 dpi			
Print resolution technology	HP FastRes 1200, HP ProRes 1200					
Print cartridges number	1 Black					
Standard print languages	PCL5c; PCL6; PS; PCLmS; PDF; URF; PWG					
Printer management	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbo	x; HP JetAdvantage Security Manager				
Scan technology	Type: ADF, Flatbed; Technology: CIS					
Scan speed ¹⁸	Normal (A4): Up to 15 ppm					
Scan resolution	Enhanced: No; Hardware: Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color, flatbed); Up to 1200 x 1200 dpi (mono, flatbed); Optical: Up to 300 dpi (color and mono, ADF); Up to 600 dpi (color, flatbed); Up to 1200 dpi (mono, flatbed)	Hardware: Up to 300 x 300 dpi (color and mono, ADF); Up to 1200 x 1200 dpi (color and mono, flatbed); Optical: Up to 300 dpi (color and mono, ADF); Up to 1200 dpi (color and mono, flatbed)	Enhanced: No; Hardware: Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color, flatbed); Up to 1200 x 1200 dpi (mono, flatbed); Optical: Up to 300 dpi (color and mono, ADF); Up to 600 dpi (color, flatbed); Up to 1200 dpi (mono, flatbed)			
Digital sending standard features		No	Scan to email; Scan to network folder			
Color scanning	Yes					
Scan Size	Flatbed: 215.9 x 297 mm; ADF: 215.9 x 355.6 mm					
Scan input modes	Scanning via HP LaserJet Software Scan or TWAIN-compliant	or WIA-compliant software	Front control panel, scanning via HP LaserJet Software Scan or TWAIN-compliant or WIA-compliant software			
Scan file format	JPG, RAW (BMP), PNG, TIFF, PDF					
Сору						
Copier smart software features First copy out	Automatic Document Feeding Black (A4): As fast as 6.5 sec; Black (A4, sleep): As fast as 7.8 sec; Black (letter): As fast as 6.3 sec; Black (letter, sleep): As fast as 7.7 sec	Black (A4): As fast as 6.5 sec; Black (A4, sleep): As fast as 6.6 sec; Black (letter): As fast as 6.2 sec; Black (letter, sleep): As fast as 6.4 sec	Black (A4): As fast as 6.7 sec; Black (A4, sleep): As fast as 9.3 sec; Black (letter): As fast as 6.7 sec; Black (letter, sleep): As fast as 8.7 sec; Black (letter, sleep): As fast as 9.3 sec; Black (letter): As fast as 9.3 sec; Black (letter): As fast as 6.7 sec; Black (letter): As fast as 9.3 sec; Black (letter): As fast as 6.7 sec; Black (letter): As fast a			
Copy resolution	Black (text and graphics): 600 x 600 dpi	1431 43 0.4 350	1831 83 0.5 360			
Max no of copies	Up to 99 copies					
Copier resize	25 to 400%					
Copier settings	Number of Copies; Lighter/Darker; Optimize; Paper; Multi-Pag	ge Copy; Collation; Draft Mode				
Fax	T	143181.13	1-			
Fax speed Fax memory		4.2 kB/s / 3 sec per page Fax memory (A4): Up to 1,000 pages; Fax memory (letter): U	3 sec per page			
			tandard): 203 x 98 dpi; Black and white (fine): 203 x 196 dpi;			
Fax resolution Fax Features		Black photo grayscale: 300 x 300 dpi (halftone enabled). Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: Yes; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Junk barrier supported: Yes; Maximum speed dialing numbers: Up to 120 numbers (119)				
TaxTeatures		group dials); PC interface supported: Yes; Fax polling support	ted: Yes (poll to receive only)			
Fax smart software features		Fax address book; Speed-dial; fax billing codes; Fax archiving	g and forwarding; Block incoming faxes			
Connectivity	T	Γ	1 H: Connd HCD 2 O. 1 H: Connd HCD 2 O /honth 1 Ethornot			
Standard connectivity	1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX	1 Hi-Speed USB 2.0; 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out)	1 Hi-Speed USB 2.0; 1 Hi-Speed USB 2.0 (host); 1 Ethernet 10/100Base-TX; 1 phone line (in); 1 phone line (out); Wireless, NFC HP ePrint; Wi-Fi Direct printing; Air Print 1.5 with media			
Mobile printing capability	HP ePrint; AirPrint 1.5 with media presence sensor; Google Cloud Print™ 2.0	HP ePrint; AirPrint®, Google Cloud Print™ 2.0	presence sensor; Google Cloud Print™ 2.0; NFC touch-to- print enabled; HP Smart App			
Network ready	Standard (built-in Ethernet)		Standard (built-in Ethernet, Wi-Fi 802.11b/g/n)			
Wireless capability Network capabilities	No 10/100 Ethornot		built-in Wi-Fi 802.11b/g/n			
Memory	Standard: 256 MB; Maximum: 256 MB	10/100 Ethernet Standard: 2.E. M.P. Mayimum: 2.E. M.P.				
Processor speed	800 MHz					
Duty cycle (monthly) ¹²	Up to 30,000 pages; Recommended monthly page volume ¹³ :	: 250 to 2500				
Paper handling	, , , , , , , , , , , , , , , , , , , ,					
Input	250-sheet input tray, 10-sheet priority tray					
Output	150-sheet output tray	a data di mantan da				
Media types	Paper (laser, plain, photo, rough, vellum), envelopes, labels, co	ardstock, postcards				
Media weight Dimensions (w x d x h) ⁴	60 to 163 g/m² 403 x 407.4 x 311.5 mm					
Weight	9.4 kg					
What's in the box ²	HP LaserJet Pro MFP M227sdn; HP Black LaserJet Toner Cartridge ~1600 pages; HP LaserJet Imaging Drum ~23,000 pages; Power cord; USB cable (AP); Getting started guide; Set up poster; Support flyer; Warranty documents (CN, Indo, AU, Mex, BR, AG); Printer documentation and software on CD-ROM; Errata declaration (some countries)	HP Laser Jet Pro MFP M227fdn; HP Black Laser Jet Toner Cartridge ~1600 pages; HP Laser Jet Imaging Drum ~23,000 pages; Power cord; USB cable (AP); Getting started guide; Set up poster; Support flyer; Warranty documents (CN, Indo, AU, Mex, BR, AG); Printer documentation and software on CD- ROM; Errada declaration (some countries)	HP LaserJet Pro MFP M227fdw; HP Black LaserJet Toner Cartridge ~1600 pages; HP LaserJet Imaging Drum ~23,000 pages; Power cord; USB cable (AP): Getting started guide; Se up poster; Support flyer; Warranty documents (CN, Indo, AU, Mex, BR, AG); Printer documentation and software on CD- ROM; Errata declaration (some countries)			
Software included	Roin, Linka declaration (some countries) Roin (some countr					
Warranty features	One year limited warranty					
Systems						
Compatible operating systems 19	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8 Apple OS X Sierra(v10.12), OS X El Capitan (v10.11), OS X Yosemite (v10.10); 1 GB HD; Internet required; USB. Linux (For more information, see http://hplipopensource.com/hplip-web/index.html). Unix (For more information, see http://www.hp.com/og/ou/mixmodelscripts)					
Minimum system requirements	PC-Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Mac. Apple 05 X Sierra (v10.12), 05 X El Capitan (v10.11), 05 X Yosemite (v10.10); 1 GB HD; Internet required; USB					
Security management	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change; 802.1x authentication	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change			
Fonts and typefaces	84 scalable TrueType fonts					
Control panel	2-line LCD: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu , Start Copy, Main Setup); 2 light-emitting diode (LED) indicator lights (Ready, Attention).	2-line LCD with Alphanumeric keypad: 2-line LCD text display; Buttons(OK, Back, Forward/Backward, Cancel, Number of Copy, Darker/Lighter, Copy Menu, Start Copy, Main Setup, Redial, Alphanumeric Keypad, Start Fax); 2 light- emitting diode (LED) indicator lights (Ready, Attention).	2.7 in touch screen, LCD (color graphics)			
Display	2-line LCD		2.7-in touch screen, LCD (color graphics)			
Energy efficiency compliance	ENERGY STAR® qualified; CECP ¹					
ENERGY STAR Qualified	Yes					

Power	Power supply type: Internal; Power supply required: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz/50 Hz, 5.9 A; 220-volt input voltage: 220 to 240 VAC (+/- 10%), 60 Hz/50 Hz, 3.3A; Power consumption: 475 watts (active printing), 4.5 watts (ready), 1.0 watts (sleep), 0.8 watts (Auto Off/Wake on USB, enabled at shipment); Typical Electricity Consumption number? 0.941 kWh/Week (Blue Angel); 0.353 kWh/Week (Energy Star 3.0)				
Acoustics	Acoustic power emissions: 6.6 B(A) (printing at 28 ppm); Acoustic power emissions (ready): 2.8 B(A); Acoustic pressure emissions bystander (active, printing): 52 dB(A); Acoustic pressure emissions bystander (ready): 16 dB(A)				
Environmental ranges	Operating temperature range: 15 to 32.5°C; Recommended operating temperature: 17.5 to 25°C; Non-operating humidity range: 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to 70% RH				
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009+A2:2013/EN60950-1:2006 +A11:2009 +A1:2010+A12:2011+A2:2013; IEC 60825-1:2007 / EN 60825-1:2007 (Class 1 Laser/LED Product); IEC 62479:2010 / EN 62479:2010; GB4943-2011				
Supported network protocols	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS- Discovery; BOOTP/DHCP/AutoIP; WINS; SNMP v 1/2/3; HTTP/HTTPS	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS- Discovery; BOOTP/DHCP/AutoIP; WINS; SNMP v 1/2/3; and HTTP/HTTPS	TCP/IP: IPv4; IPv6; IP Direct Mode; LPD; SLP; Bonjour; WS- Discovery; BOOTP/DHCP/AutoIP; WINS; SNMP v 1/2/3; HTTP/HTTPS		

Footnotes

- Based on ISO/IEC 19752 cartridge yields for HP 30A Black Original LaserJet Toner Cartridges compared with HP 83A Black Original LaserJet Toner Cartridges, and HP 30X High Yield Black Original LaserJet Toner Cartridges
- compared with HP 83X High Yield Black Original Laser Jet Toner Cartridges. Learn more at http://www.hp.com/go/learnaboutsupplies

 Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at http://support.hp.com/us-en/document/c03561640. For details on
- * Requires the HP Smart app download. Features controlled may vary by mobile device operating system. Full list of supported operating systems and details at http://support.np.com/go/mobileprinting.

 3 Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see http://www.hp.com/go/nfcprinting

 4 Feature is supported on select printers. Mobile device needs to be connected directly to the signal of a Win-Fi Direct® supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see http://www.hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Direct® Supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Requires Google Cloud Print® registration and Google account. Learn more at http://www.hp.com/go/mobileprinting

 5 Requires to HP Smart app download. Features controlled in the printing of the

- A HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings

 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com.

 App or software and HP ePrint account registration also may be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting

 To red tealis on local printing requirements see http://pb.com/go/mobile printing.

 Not all HP Web Jetadmin features are supported on the HP Laser Jet Pro MFP M227. HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin

 Based on HP internal research on competitor offerings (Device Security Comparison 1/2015) and Solutions Report on HP JetAdvantage Security Manager 2.1 from Buyers Lab, 2/2015. Requires separate purchase. For details, see http://www.hp.com/go/webjetadmin
- see http://www.hp.com/go/securitymanager

 13 Comparison based on ISO 24711 cartridge yields for HP 30X High Yield Black Original LaserJet Toner Cartridges compared with HP 30A Black Original LaserJet Toner Cartridges. Learn more at
- http://www.hp.com/go/learnaboutsupplies

 14 As compared with cartridge gauges for HP predecessor products.

 15 Feature is applicable to M227fdw only.

Product walkaround disclaimers

- *Wi-Fi Direct* printing is not available with the HP LaserJet Pro MFP M227sdn model. Mobile device needs to be connected directly to the signal of a Wi-Fi Direct* supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/mobileprinting. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance*.

 2 Wireless networking is not available with the HP LaserJet Pro MFP M227sdn model. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections.

- Features vary by model; see Speaker notes, above.

 The easy-access USB port is available with the MFP M227fdw model only. TBD: An administrator must enable the easy-access USB port before use.

 NFC touch-to-print is available with the MFP M227fdw model only. Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see hp.com/go/nfcprinting.

Technical specifications disclaimers

- EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

 HP 30A Original Black Laser.let Toner Cartridge (~1600 pages), HP 32A Original Laser.let Imaging Drum (~23,000 pages). Actual yields vary considerably based on images printed and other factors. For details see

- hr 32A Original Laser Set Inlay and Original Laser Set Inlaying Drum (*23,000 pages). Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 3 Dimensions vary as per configuration

 4 Dimensions vary as per configuration

 5 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on measurement of 115V device.

 6 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- 115 V device

- 115 V device.

 7 Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled.

 8 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 9 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies internaboutsupplies replacement on yields and the provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

 1 Pure roommends that the number of printer and MFPs to satisfy the demands of connected individuals or groups.

 1 Precommends that the number of printer and MFPs to satisfy the demands of connected individuals or groups.

- 13 HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device me over unchanged under period.

 14 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 15 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 16 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, driver, and document complexity.

 17 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 18 Measured using ISO/IEC 17991, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration and document complexity.

 19 Not supporting Windows XP (64-bit) and Windows Vista (64-bit), Not all "Compatible Operating Systems" are supported with INBOX software; Full solution software available only for Windows 7 and newer; Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print drivers only; For Windows Server 2003 32-bit and 64-bit, 2008 R2 64-bit, 2012 R2 64-bit only print driver is installed; Windows RT OS for Tablets (32 & 64-bit) uses a simplified HP print driver built into the RT OS; Linux systems use in-OS HPLIP software

To learn more, visit http://www.hp.com

