

The Smartest Network Device

## www.totolink.net

Q

211110101

····

aver usperie

### **S505G** (D) 1000Mbps Up to 10/100/1000Mbps

5-Port Gigabit Ethernet Switch



## 5-Port Gigabit Desktop Switch

#### Model No. S505G

S505G is a Gigabit Desktop Switch that enables you to upgrade your network to gigabit Ethernet. With full gigabit ports and compact design, S505G not only increases the speed of your network server, but also make Gigabit to the desktop a reality. Generally, S505G is a high performance solution for your home or office network. 11 11 11

LOLO LIVE

TOTOLINK)

e a na na

# Features

- 5 10/100/1000Mbps auto-negotiated RJ45 ports.
- Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode.
- 2K entry MAC address table and automatic address learning.
- Auto-MDI/MDIX eliminates the need for crossover cables.
- Store- and-Forward Switching scheme.
- Performs non-blocking full wired speed.
- Supports Giga Lite to improve transfer rate for 4-wire UTP gigabit network.

# **Specification**

#### General

Standards	- IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE 802.3x
Interface	- 5*10/100Mbps auto-negotiation RJ-45 Ports (Auto MDI/MDIX)
Power Supply	- 9V DC/0.5A
LED	-1* Power, 5*LANs
Dimensions(L x W x H)	- 5.2 x 3.0 x 1.0 in. (132 x 75 x 25mm)
MAC Address Learning	- Auto-Learning, Auto-Aging
MAC Address Table	- 2K
Network Media	- 10BASE-T: UTP Cat 3, 4, 5 cable
	- 100BASE-TX/1000BASE-T: UTP Cat 5, 5e or above cable
Backup Bandwidth	- 10Gbps
Transmission Method	- Store-and-forward

#### Others

Package Contents	- S505G Desktop Switch *1 - Power Adapter - Quick Installation Guide *1
Environment	- Operating Temperature: 0 °C ~40 °C (32 °F ~104 °F) - Storage Temperature: -40 °C ~70 °C (-40 °F ~158 °F) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing

#### ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright©ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

#### Headquarter & R&D Center

**S505G** 

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-6136-3288 (Ext.867) I FAX : +86-755-6136-3344

#### Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China

Direct Line : +86-755-3686-1188(Ext. 5810) I FAX : +86-755-3686-1133